

Architectural Cast Stone

Signature SeriesTM

Designer's Guide



 **CORINTHIAN**
CAST STONE, INC.

Delivering Quality without Compromise



Corinthian Cast Stone was founded on three principles: integrity, open mindedness and willingness. Let us put our company to work for you.

*Jason B. Hirschhorn, President
Corinthian Cast Stone, Inc.*

CORINTHIAN CAST STONE


*for your most
demanding
projects*

Welcome to the **SIGNATURE SERIES DESIGNER'S GUIDE!** The imagination and vision of designers throughout the centuries has inspired *us* to create a catalogue that will inspire *you* to design and create visually stunning structures using classic cast stone elements.

Inside you will find:

- Some of our most popular cast stone units, profiles and assemblies – from keystones to ornate fireplaces, from utilitarian copings to lavish columns.
- Photographs representing product use.
- Color charts grouped into standard and premium colors. Custom colors are available too!
- Typical anchor/fastening details. We want you to have peace of mind when installing Corinthian Cast Stone, so we'll show you how to do it.
- Simple, hassle-free instructions on how to order from Corinthian Cast Stone.

*Designing, ordering and installing with
Corinthian Cast Stone has never been easier.*



**CORINTHIAN
CAST STONE, INC.**

DELIVERING QUALITY WITHOUT COMPROMISE
WWW.CORINTHIANCASTSTONE.COM



Signature Series

COLOR CHART

standard

STANDARD COLORS are manufactured from our primary aggregates, Portland cement and select iron oxide pigments. Corinthian's Standard Colors are included in the Cast Stone Proposal you'll receive from our sales team.

BUFF
LIMESTONE



Buff Limestone



Putty Limestone



Cappuccino
Limestone



Warm Tan
Limestone

GREY
LIMESTONE



Dark Grey
Limestone



Medium Grey
Limestone




Grey Limestone



Light Grey
Limestone


SANDSTONE



Sandstone



Indian Clay
Sandstone



Burnt Red
Sandstone



Terra Cotta Red
Sandstone

BROWNSTONE



Colonial
Brownstone



Durham
Brownstone



Newark
Brownstone



Portland
Brownstone

premium

PREMIUM COLORS are manufactured from our primary aggregate, a specialty aggregate, or a combination of multiple aggregates; either white or grey Portland cement; and iron oxide pigments.

There is an additional charge for these colors.



Arctic White




Soft Buff



Egg Shell



Soft Peach



Hunter Green



Rose



Cool Blue



Salmon

custom

CUSTOM COLORS AND FINISHES are manufactured to order. Simply send a sample of the material you want to have us match, the color match form and the color match fee. We will then provide you with a range of up to three samples from which to select. The color/finish match fee will be credited to your order. *There is an additional charge for these colors/finishes.*




Faux Marble



Rake Line



Chiseled Rockface




Medium Sandblast

Due to the limitations of print, the colors you see herein may not be a totally accurate reproduction of the actual product. We strive to make our colors as accurate as possible, but images are intended as a guide only and should not be regarded as absolutely correct. If you would like a color sample, please call your Sales Associate or Customer Service at 631.776.7100.

ORDERING INFORMATION

Accent Part Number




Accent Sizes




Depth: Varies, See Const. Type

- 1: Diameter 7 5/8"
- 2: Diameter 10 1/4"
- 3: Diameter 15 5/8"
- 4: Diameter 23 5/8"



Depth: Varies, See Const. Type

- 5: Length / Height 7 5/8"
- 6: Length / Height 10 1/4"
- 7: Length / Height 15 5/8"
- 8: Length / Height 23 5/8"




Depth: Varies, See Const. Type

- 9: Length/Height 7 5/8" X 29 5/8"
- 10: Length/Height 10 1/4" X 31 5/8"
- 11: Length/Height 15 5/8" X 47 5/8"

Construction Type

Note: Stone Depth is determined by Construction Type plus the projection from face of wall.

- M - Masonry: 3 5/8" Depth plus Projection
- S - Stucco: 1" Depth plus Projection



ACCENTS & MEDALLIONS

Signature Series Accent Bands and Medallions compliment your masonry wall system and make a simple yet bold statement.

From geometric designs to organic compositions, Accent Bands and Medallions are economical ways to put some "Wow!" into your project.

Features:

- Designed to fit standard brick coursing. Additional sizes and finishes may be requested.
- Available for use in traditional masonry applications.
- Available for use in stucco applications.
- Some Accents and Medallions are special order items and may require additional lead time.

Please consult with your sales associate for more information.

ORDERING INFORMATION


Balustrade Part Number

Pier Type
PRA
Pier Condition

Top & Bottom Rail Sizes

Length: 47 5/8"
Depth: Varies
Height: Varies

Balustrade Conditions*



Condition 1
Standard Unit


Condition 2
Stair Unit

*Note: Top and bottom of Stair Balusters are to be cut to fit slope of stair


Pier Conditions



Condition 1
Single Unit




Condition 2
End Unit



Condition 3
Center Unit





Condition 4
Corner Unit




Condition 5
Tee Unit



Condition 6
Angle Corner Unit



BSA



BSB




BSC



BSD

Balustrade Assemblies



Balustrade Assemblies



BALUSTRADES

Signature Series Balustrades add a distinctive personality to your project.

Four Balustrade options, called "assemblies," are presented. The Balustrade assembly is comprised of the base rail, the baluster, the top rail and newel post assembly. Additional details such as finials or urns may be added if desired.


Custom balusters, radiuses, elliptical and compound curved baluster assemblies are available. They are special order items and may require additional lead time.

The local building code in your area should be checked by a qualified professional and your balustrade system must be designed accordingly. The number of balusters required will be governed by your local code and the dimensions of the particular baluster assembly you choose.

Please consult with your sales associate for more information.

ORDERING INFORMATION

Band Part Number




Band Sizes

Length: 47 5/8" for Masonry Applications
23 5/8" for Stucco Applications
Depth: Varies, See Construction Type
Height: Varies, See Band Type

*Note: See Drawings for Length of Band BNT and BNU



Band Conditions



Construction Type

Note: Stone Depth is determined by Construction Type plus the projection from face of wall.

M - Masonry: 3 5/8" Depth plus Projection
S - Stucco: 1" Depth plus Projection



Typical Band Assembly

BAND & STRING COURSES

Signature Series Band and String Courses are often used as architectural transition elements in masonry construction.

Be sure to keep in mind the repeating geometry of dentil bands and cornices when incorporating them into the building ornamentation.

If necessary, we will manufacture custom units to fit your special conditions.


Features:

- Designed to fit standard brick coursing.
- Available for use in traditional masonry applications.
- Available for use in stucco applications.
- Additional sizes and or profiles may be requested. They are special order items and may require additional lead time.

Please consult with your sales associate for more information.

ORDERING INFORMATION

Base Part Number



Base Sizes

Length: 47 5/8" for Masonry Applications
23 5/8" for Stucco Applications
Depth: Varies, See Construction Type
Height A: 11 5/8"
Height B: 15 5/8"
Height C: 23 5/8"


Base Conditions




Condition 1
Straight




Condition 2
Left Return



Condition 3
Right Return



Condition 4
Left Self Return






Condition 5
Right Self Return

Construction Type

Note: Stone Depth is determined by Construction Type plus the projection from face of wall.

M - Masonry: 3 5/8" Depth plus Projection
S - Stucco: 1" Depth plus Projection




BASE COURSE & WATERTABLES

Signature Series Base Courses and Watertables are powerful, traditional architectural building elements that lend strength and style to any structure. They typically transition to window sills and other ornamentation and provide continuity to your project.

Features:

- Designed to fit standard brick coursing.
- Available for use in traditional masonry applications.
- Available for use in stucco applications.
- Additional sizes and/or profiles may be requested, they are special order items and may require additional lead time.
- Cast stone is suitable for at-grade applications due to its density and durability.


Please consult with your sales associate for more information.




Typical Band Assembly

ORDERING INFORMATION

Column Part Number



Column Conditions



Note: Full Round and Square Columns to be installed with stacked segments to allow joints to align.



Condition A
Full Round



Condition E
Full Square



Condition B
3/4 Round



Condition F
3/4 Square



Condition C
1/2 Round




Condition G
1/2 Square



Condition D
1/4 Round



Condition H
1/4 Square



Sizes Table	CLA						CLB & CLC						CLD		
	A	B	C	D	E	F	A	B	C	D	E	F	A	B	C
Size 1	70"	10"	13.25"	13.25"	5"	5"	80"	10"	13.25"	11.5"	5"	5"	80"	10"	11.5"
Size 2	84"	12"	16"	16"	6"	6"	96"	12"	16"	14"	6"	6"	96"	12"	34.75"
Size 3	98"	14"	18.5"	18.5"	7"	7"	112"	14"	18.5"	16.25"	7"	7"	112"	14"	16"
Size 4	112"	16"	21.25"	21.25"	8"	8"	128"	16"	21.25"	18.5"	8"	8"	128"	16"	18.5"
Size 5	126"	18"	24"	24"	9"	9"	144"	18"	24"	21"	9"	9"	144"	18"	20.75"
Size 6	140"	20"	26.5"	26.5"	10"	10"	160"	20"	26.5"	23.25"	10"	10"	160"	20"	23"
Size 7	152"	22"	29.25"	29.25"	11"	11"	176"	22"	29.25"	25.5"	11"	11"	176"	22"	25.25"
Size 8	168"	24"	32"	32"	12"	12"	192"	24"	32"	28"	12"	12"	192"	24"	27.5"
Size 9	182"	26"	34.5"	34.5"	13"	13"	208"	26"	34.5"	30.25"	13"	13"	208"	26"	30"

Sizes Table	CLE & F						CLG & H					
	A	B	C	D	E	F	A	B	C	D	E	F
Size 1	90"	10"	13.25"	13.25"	5"	3.25"	100"	10"	13.25"	15"	5"	11.5"
Size 2	108"	12"	16"	16"	6"	4"	120"	12"	16"	18"	6"	14"
Size 3	126"	14"	18.5"	18.5"	7"	4.75"	140"	14"	18.5"	21"	7"	16.25"
Size 4	144"	16"	21.25"	21.25"	8"	5.25"	160"	16"	21.25"	24"	8"	18.5"
Size 5	162"	18"	24"	24"	9"	6"	180"	18"	24"	27"	9"	21"
Size 6	180"	20"	26.5"	26.5"	10"	6.75"	200"	20"	26.5"	30"	10"	23.25"
Size 7	198"	22"	29.25"	29.25"	11"	7.25"	220"	22"	29.25"	33"	11"	25.5"
Size 8	216"	24"	32"	32"	12"	8"	240"	24"	32"	36"	12"	28"
Size 9	234"	26"	34.5"	34.5"	13"	8.75"	260"	26"	34.5"	39"	13"	30.25"



COLUMNS & PILASTERS

Corinthian Cast Stone is known for its production of architecturally faithful columns according to the classical orders.


Choose from:

- Doric Columns – massively designed simplicity with no base, clean flutes (vertical grooves), and a plain capital (top).
- Ionic columns – elegant with a base, slender flutes, and prominent volutes (spiral scrolls) on the capital.
- Corinthian Columns – the most ornate with the tallest base, slenderest shaft, and an elaborate capital decorated with fleur-de-lis, volutes, and/or acanthus, laurel, or olive leaves.
- Tuscan Columns – simple, even rustic, it's the most common column found in residential use today.

Please consult with your sales associate for more information.

ORDERING INFORMATION

Coping Part Number



Coping Sizes

Length: 47 5/8"

Height: Varies, See Profile

Wall Width A: 8"

Wall Width B: 10"

Wall Width C: 12"

Wall Width D: 14"

Wall Width E: 16"

Wall Width F: 18"

Wall Width H: 20"

Coping Conditions*

*Note: Condition 6 does not apply to all Coping types.




Condition 1
Straight




Condition 2
Left Return




Condition 3
Right Return




Condition 4
Left Inside Return




Condition 5
Right Inside Return




Condition 6
End




CPA




CPB




CPC




CPD



CPE




CPF




CPG

(Can also be used for Pool Coping)




CPH

(Can also be used for Pool Coping)




CPJ


(Can also be used for Pool Coping)



CPK




CPL




CPM


(Can also be used for Pool Coping)




CPN




CPP




CPR




CPS




CPT



CPU



CPV



CPW



COPINGS

Signature Series Coping Stones

are functional and aesthetic, adding flair and continuity to your design. Properly fabricated and installed Coping Stones are also essential to the structural integrity of the building or site wall protecting it from harsh weather.

Our Coping Stones are offered in easy to use configurations.


- Standard lengths are 47 5/8" inside and outside return conditions.
- Tee or cross intersections are available as special order only and may require additional lead time.

Landscape and Pool copings are architectural details too, and are included in a complete design project. Whether radius, helical or simply straight, cast stone copings by Corinthian add the finishing touch to your project.

Please consult with your sales associate for more information.

ORDERING INFORMATION


Signage Part Number




Font Styles



Signage Sizes



Size 1:
Depth: Varies, See Construction Type
Height: 7 5/8"
Length: 15 7/8"



Size 2:
Depth: Varies, See Construction Type
Height: 10 1/4"
Length: 23 5/8"




Size 3:
Depth: Varies, See Construction Type
Height: 13"
Length: 31 5/8"

Construction Type



Note: Stone Depth is determined by Construction Type plus the projection from face of wall.

M - Masonry: 3 5/8" Depth plus Projection
S - Stucco: 1" Depth plus Projection

Dates Stones



Custom Signage Available upon Request



DATE STONES & CUSTOM SIGNAGE

Address Blocks and Date Stones:
Making a statement in stone has never been easier.

- Choose the size of the stone element.
- Choose the font that best suits the project.
- Available for use in traditional masonry applications.
- Available for use in stucco applications.


Custom Signs:
Corinthian Cast Stone's Pattern and Mould Shoppe has the technical expertise to manufacture the custom sign or panel you require for your project.

- Add your logo to a monument or your building facade.


Please consult with your sales associate

ORDERING INFORMATION


Fire Place Part Number



Fire Place Openings




Fire Place Conditions





Fireplace Surrounds

Note: Surrounds are only available in Condition A and B.



Fireplace Assemblies



Fireplace Assemblies



FIREPLACES

Perhaps no other interior element adds as much grace, charm, warmth and structure to a home as does a fireplace.

For family gatherings, cool fall nights and cold winter evenings, or social events and relaxing times, the focal point in your living room, great room, dining room, office or bedroom is often the fireplace.

The Signature Series Fireplace Collection has been designed for those who expect only the best. From the simple styles that blend into your home décor to the bold statements of the more ornate floor-to-ceiling assemblies – every detail is perfect. Period.


Fireplace surrounds are available in six standard sizes. All styles are available with or without hearths and overmantles. Simply choose the style that fits best with the décor of the room and indicate the size of the firebox you have.

Please be advised that local building codes must be followed.

Please consult with your sales associate for more information.

ORDERING INFORMATION


Lintel & Key Part Number



Lintel Sizes

Height: Varies, Stone Type
Depth: Varies, See Construction Type
Length A: 23 5/8"
Length B: 39 5/8" (Masonry Depth Only)
Length C: 47 5/8" (Masonry Depth Only)


Lintel Conditions




Construction Type

Note: Stone Depth is determined by Construction Type plus the projection from face of wall.


M - Masonry: 3 5/8" Depth plus Projection
S - Stucco: 1" Depth plus Projection




Jack Lintels




Jack Lintel Keystones




Profile Lintels



Profile Lintel Keystones



Typical Lintel Assembly with Key



Typical Lintel Assembly without Key

LINTELS & KEYSTONES

Make an ordinary masonry opening extraordinary. **Jack Arches or Lintels** are a visually stunning and cost-effective way to convey the personal style of your project.

Jack Arch or Lintel units are non structural and are designed to be installed in two or three (left stone, key stone and right stone) pieces.


Keystones can be simple geometric shapes that are elegant and graceful or they may be adorned with elaborate ornamentation – including your corporate logo or your initials.

- Available for use in traditional masonry applications.
- Available for use in stucco applications.

Please consult with your sales associate for more information.


ORDERING INFORMATION

Pier Cap Part Number




Pier Sizes


Height:	Varies, See Profile
Pier Size A:	10" x 10"
Pier Size B:	12" x 12"
Pier Size C:	14" x 14"
Pier Size D:	16" x 16"
Pier Size E:	18" x 18"
Pier Size F:	20" x 20"
Pier Size G:	22" x 22"
Pier Size H:	24" x 24"




Condition 1
Pyramid Top




Condition 2
Flat Top




PCA




PCB




PCC




PCD




PCE




PCF




PCG




PCH




PCJ




PCK




PCL




PCM




PCN




PCP




PCR




PCS




PCT



PCU



PCV



PCW



PIER CAPS


Signature Series Pier Caps are designed to be used on a freestanding pier, a sign wall, a perimeter wall or in conjunction with any corresponding coping element. They are a distinctive element of your design intent, reinforce its simplicity or complexity while remaining understated.

Corinthian Cast Stone offers many standard size pier caps for immediate order. We will resize or custom design a cap for your project as well. Please be sure to let us know if you require a hole for electrical conduit through the center of the stone.


Please consult with your sales associate for more information.

ORDERING INFORMATION

Quoin Part Number




Quoin Conditions



Quoin Sizes

Note: Sizes shown are for both Condition 1 and Condition 2.




Construction Type

Note: Stone Depth is determined by Construction Type plus the projection from face of wall.

M - Masonry: 3 5/8" Depth plus Projection
S - Stucco: 1" Depth plus Projection

Two-Piece Quoin Assemblies



7 5/8" High Assembly
QNA1A



10 1/4" High Assembly
QNA1B

One-Piece Quoin Assemblies



7 5/8" High Assembly
QNA2A



10 1/4" High Assembly
QNA2B



7 5/8" High Assembly
QNB1A



10 1/4" High Assembly
QNB1B



7 5/8" High Assembly
QNB2A



10 1/4" High Assembly
QNB2B




7 5/8" High Assembly
QNC1A




10 1/4" High Assembly
QNC1B



7 5/8" High Assembly
QNC2A



10 1/4" High Assembly
QNC2B



QUOINS

Quoins are an architectural feature element used to create visual contrast with the masonry veneer while projecting fortitude and elegance.

Quoins can be either:

- Single piece "L" shaped corner unit.
- Two piece assembly that forms an "L" shaped corner unit.
- Stacked on top of one another or divided by other exterior cladding.
- The same length or alternate in size.


Quoins are designed to fit standard brick coursing. Additional sizes and finishes may be requested. They are special order items and may require additional lead time.

- Available for use in traditional masonry applications.
- Available for use in stucco applications.

Please consult with your sales associate for more information.


ORDERING INFORMATION

Surround Part Number



Masonry Openings

Note: If Masonry opening is not shown below, select next larger size and trim units to fit.



Typical Masonry Opening


24"	40"	48"	56"	72"
01	02	03	04	05
48"				
06	07	08	09	10
60"				
11	12	13	14	15
80"				
16	17	18	19	20
84"				
21	22	23	24	25
96"				
26	27	28	29	30

Masonry Opening Sizes


Construction Type

Note: Stone Depth is determined by Construction Type plus the projection from face of wall.

M - Masonry: 3 5/8" Depth plus Projection
S - Stucco: 1" Depth plus Projection




Typical Details



SR01
Condition A


SR01
Condition B




SR01
Condition C with
Custom Arch

SR01
Condition D

Surround Conditions




Typical Details



SR02
Condition A

SR02
Condition B



SR02
Condition C with
Custom Arch

SR02
Condition D

Surround Conditions



WINDOWS & DOOR SURROUNDS


To order awe-inspiring **Signature Series Window or Door Surrounds**:

- Choose the style that best fits the project.
- Choose the size that most closely matches your masonry opening (the stone must be larger if not exact).
- Field modifications allow a standard assembly to become a custom surround.
- Available for use in traditional masonry applications.
- Available for use in stucco applications.
- Please note: all radius and arch pieces are custom order, requiring you to provide either measurements or templates and will require additional lead time to fabricate.

Please consult with your sales associate for more information.


ORDERING INFORMATION

Surround Part Number



Masonry Openings

Note: If Masonry opening is not shown below, select next larger size and trim units to fit.



Typical Masonry Opening


24"	40"	48"	56"	72"
01	02	03	04	05
48"				
06	07	08	09	10
60"				
11	12	13	14	15
80"				
16	17	18	19	20
84"				
21	22	23	24	25
96"				
26	27	28	29	30

Masonry Opening Sizes


Construction Type

Note: Stone Depth is determined by Construction Type plus the projection from face of wall.


M - Masonry: 3 5/8" Depth plus Projection
S - Stucco: 1" Depth plus Projection




Typical Details




SR03
Condition A



SR03
Condition B




SR03
Condition C with
Custom Arch




SR03
Condition D


Surround Conditions




Typical Details




SR04
Condition A



SR04
Condition B



SR04
Condition C with
Custom Arch




SR04
Condition D

Surround Conditions



ORDERING INFORMATION

Surround Part Number



Masonry Openings

Note: If Masonry opening is not shown below, select next larger size and trim units to fit.



Typical Masonry Opening


24"	40"	48"	56"	72"
01	02	03	04	05
48"				
06	07	08	09	10
60"				
11	12	13	14	15
80"				
16	17	18	19	20
84"				
21	22	23	24	25
96"				
26	27	28	29	30

Masonry Opening Sizes


Construction Type

Note: Stone Depth is determined by Construction Type plus the projection from face of wall.


M - Masonry: 3 5/8" Depth plus Projection
S - Stucco: 1" Depth plus Projection




Typical Details




Typical Details



SR05
Condition A




SR05
Condition B




SR06
Condition A




SR06
Condition B




SR05
Condition C



SR05
Condition D




SR05
Condition E with
Custom Arch



SR06
Condition C



SR06
Condition D



SR06
Condition E with
Custom Arch


Surround Conditions

Surround Conditions



ORDERING INFORMATION

Sill & Lintel Part Number




Stone Sizes

Height: Varies, See Sill Type
Depth: Varies, See Construction Type
Length A: 23 5/8"
Length B: 39 5/8"
Length C: 47 5/8"

Stone Conditions*


*Note: Conditions does not apply to all stone types.




Construction Type

Note: Stone Depth is determined by Construction Type plus the projection from face of wall.
M - Masonry: 3 5/8" Depth plus Projection
S - Stucco: 1" Depth plus Projection

Lug Sills



Profile Sills



WINDOW SILLS

Window Sills add a custom and decorative look to otherwise plain window openings.

Sills may be either slip sills or lug sills.

- Slip sills are the same width as your window.
- Lug sills project out from the window allowing the window jamb to rest on it. They may be used with or without stone jambs and are a classic detail.

When ordering the window sills; keep the location of the vertical joints in relationship to the window mullions in mind. If you have a two-light window, order one left and one right unit. If you have a three-light window, you may want to order on left, one right and one straight unit.


- Available for use in traditional masonry applications.
- Available for use in stucco applications.

Please consult with your sales associate for more information.

Signature Series


ANCHOR DETAILS

ANCHOR TYPES




Anchor Notes


1. Anchor details shown by Corinthian Cast Stone Inc. are for illustration purposes only. Corinthian Cast Stone Inc. makes no representations concerning compliance with building codes or whether the anchors and anchor system(s) shown are appropriate for your specific conditions(s). Please have the appropriate authority review building conditions and materials and size all anchors and anchor systems prior to installation.
2. Anchoring system suggested for lateral loads only. All dead loads of stone units to be carried by masonry below. All masonry openings, steel relieving angles, engineered and supplied by others, to be provided to support dead load of stone and construction above.
3. All anchors to be mechanically fastened through water proofing membrane and sheathing to framing member.
4. Inspection of framing to support anchoring system by others.
5. All kerfs and cut outs in stone required for proper anchoring to be done by others.
6. All anchors to be stainless steel 304.
7. Fasteners to be specified and sized by others based on the specific requirements of an individual project.
8. Anchors, fasteners, and steel to be supplied by others.



ANCHORAGE FOR COLUMNS




ANCHORAGE FOR BALUSTRADES




ANCHORAGE FOR QUOINS

ANCHOR DETAILS (CONTINUED)



ANCHORAGE FOR SURROUNDS, SILLS, LINTELS AND KEYSTONES



ANCHORAGE FOR COPING

ANCHORAGE FOR BASE, BAND, WATERTABLE, ACCENTS & SIGNAGE

Hassle-free Ordering

TERMS & CONDITIONS

PLACING AN ORDER

Placing an order is simple:
E-MAIL us at sales@corinthiancaststone.com, **FAX** your order to 631.776.7101, or **CALL** your sales associate at 631.776.7100. We look forward to being of service to you.

PRICING

While prices for most items are available on line, deviations in size and custom colors will require a sales associate to assist you in placing your order.

ACCEPTANCE OF YOUR ORDER

No order shall be deemed to be accepted unless and until the order is confirmed by way of the Order Acknowledgement.

ACKNOWLEDGEMENT

The quantity, quality, description of, and any specification for the products shall be those set out in the Order Acknowledgement.

FABRICATION SEQUENCE

Be advised, in order to be placed in the fabrication schedule you must complete and submit the following items:

- Your purchase order and deposit
- Signed order acknowledgment
- Signed color approval form
- Signed catalogue cut sheets

PAYMENT TERMS

All orders under \$5,000.00 must be prepaid. All orders over \$5,000.00 require a 50% deposit and must be paid in full prior to shipping, including freight and applicable taxes. Customers requesting payment terms, differing from those herein must complete a credit application – you can request it from your sales associate or simply download it from our website at www.CorinthianCastStone.com. We accept checks, MasterCard, Visa, American Express and wire transfers for your convenience. U.S. currency only.

RUSH ORDERS

In the event you need your product "yesterday," we will accommodate you if there is a slot available on our *Fast Track Production Line*.™ Additional charges will apply for this service. This service must be paid in full prior to releasing your order to the plant.

CANCELLED ORDERS & RETURNS

Orders may be cancelled at any time. You will be responsible, however, to pay for all costs and products fabricated up to the time you cancel the order. If your order was 100% prepaid, you will be refunded the difference. If your deposit does not cover the production up to the point in time of your cancellation, you agree we may charge your credit card the balance due. **We do not accept returns.**

DELIVERY

When placing your order, please specify the size and type of truck you would like to deliver your order. If you prefer, you may pick up your order at our plant. All customer pick ups must be scheduled with our shipping department.

INSPECTION

PLEASE INSPECT YOUR DELIVERY IMMEDIATELY UPON RECEIPT. Any claim for damage must be noted on the freight bill, and a claim filed with the freight company. Any product defects must be reported in writing to Corinthian Cast Stone Inc., within 24 hours of receiving the shipment. Corinthian Cast Stone will repair or replace, at its sole discretion, any defective pieces. **If the damaged or defective stone is not reported within 24 hours of receipt of delivery, the repair or replacement becomes the sole responsibility of the purchaser.**

PATCHING

Please see our website for patching instructions. Your sales associate or customer service will help you obtain a **Signature Series Patch Kit** if necessary.

INSTALLATION

Corinthian Cast Stone DOES NOT provide installation services.

WE DO:

- Provide basic installation guidelines for some of our products in this catalogue as well as on our website.
- Recommend you use a qualified stone setter or a mason with experience in setting cast stone.
- Recommend to have all installation and anchoring means and methods approved by your project architect or engineer.

WE DO NOT:

- Accept responsibility for cast stone damaged during the installation process.
- Accept responsibility or liability for improper installation.

YOU ACCEPT ALL RESPONSIBILITY TO:


- Ensure that your installer is qualified and properly insured to perform the work.
- Conform to the governing local building codes.

WARRANTY

Corinthian Cast Stone, Inc. offers a One Year Limited Warranty, from the date of delivery, on its products. Please contact your sales associate for details or download our full warranty from our website – www.CorinthianCastStone.com

THANK YOU

Please visit our website at www.CorinthianCastStone.com to read more about Corinthian Cast Stone, Inc., our products, technical bulletins, Signature Series and custom products manufacturing processes. We look forward to helping you successfully complete your next project.



CORINTHIAN CAST STONE, INC.

DELIVERING QUALITY WITHOUT COMPROMISE FOR OVER A DECADE

115 Wyandanch Avenue, Wyandanch, NY 11798

631.920.2340

www.corinthiancaststone.com • www.Lzrscan.com

